



# Fairphone 2 Headphone Module Replacement

This guide will show you how to replace the headphone module of the Fairphone 2.

Written By: Tobias Isakeit



## INTRODUCTION

This guide will show you how to replace the headphone module of the Fairphone 2.



### TOOLS:

- [Phillips #0 Screwdriver](#) (1)



### PARTS:



- [Fairphone 2 Headphone Module](#) (1)

## Step 1 — Back Cover



- Just peel off the back cover by starting at one of the corners and work your way around.
- Take off the back cover.

## Step 2 — Battery



- Push the battery toward the top of the phone.
- Pull the battery out away from the phone.

## Step 3 — Display Assembly



- After taking out the battery you can unlock the display assembly.
- Flip the two blue switches to the inner position.
- Slide the display assembly towards the bottom of the phone.

## Step 4



**i** Another possible way of sliding the display assembly open.

## Step 5



- Take off the display assembly.


## Step 6 — Headphone Module



- Remove the two Phillips #0 screws of the headphone module marked by the blue circles.



## Step 7



- Turn the mainframe around so you're looking at it from the back and can see the two blank parts of the module.
- Take out the module by first pushing the left part out with your thumb while holding the right side in place.
- Then push out the right part with your other thumb.

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2017-06-16 11:50:48 PM.